



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

## LEWIS

County Base Map

(Records are Sorted by Township, Range, and Section)

**LOG ID:**  
**009576**

WELL TYPE  
Private Well

DRILL DATE: 1947/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 583FT

DRILL DEPTH: 250FT

60N 6W 27

UTM X UTM Y

DEPTH TO BED: 142FT

623,690.33 4,424,747.76

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of A.H. Chambers - 0-142' - "ALLUVIUM & GLACIAL DRIFT"

S.W.L. (AFTER CASING):

**LOG ID:**  
**019623**

WELL TYPE  
Private Well

DRILL DATE: 1960/06/03

TOWNSHIP RANGE SECTION

ELEVATION: 690FT

DRILL DEPTH: 318FT

60N 7W 18

UTM X UTM Y

DEPTH TO BED: 55FT

609,703.17 4,428,881.72

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 6 GPM @ 275'

S.W.L. (AFTER CASING):

**LOG ID:**  
**020547**

WELL TYPE  
Private Well

DRILL DATE: 1961/07/25

TOWNSHIP RANGE SECTION

ELEVATION: 691FT

DRILL DEPTH: 300FT

60N 7W 18

UTM X UTM Y

DEPTH TO BED: 50FT

609,903.17 4,428,881.72

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

**LOG ID:**  
**006207**

WELL TYPE  
Oil Well

DRILL DATE: 1939/09/29

TOWNSHIP RANGE SECTION

ELEVATION: 611FT

DRILL DEPTH: 96FT

60N 7W 23

UTM X UTM Y

DEPTH TO BED: 65FT

615,599.24 4,426,067.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ABANDONED

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020521**WELL TYPE

Private Well

DRILL DATE: 1961/08/08TOWNSHIPRANGESECTIONELEVATION:

540FT

DRILL DEPTH: 150FT

60N

7W

25

DEPTH TO BED: 35FTUTM XUTM Y

617,020.26

4,425,293.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007637**WELL TYPE

Oil Well

DRILL DATE: 1940/04/20TOWNSHIPRANGESECTIONELEVATION:

640FT

DRILL DEPTH: 240FT

60N

7W

34

DEPTH TO BED: 115FTUTM XUTM Y

613,600.22

4,423,862.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 W.R. HADFIELDS.W.L. (AFTER CASING):**LOG ID:****018794**WELL TYPE

Private Well

DRILL DATE: 1959/08/18TOWNSHIPRANGESECTIONELEVATION:

680FT

DRILL DEPTH: 350FT

60N

7W

7

DEPTH TO BED: 195FTUTM XUTM Y

609,394.16

4,429,321.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 113**LOG ID:****020522**WELL TYPE

Private Well

DRILL DATE: 1959/10/17TOWNSHIPRANGESECTIONELEVATION:

675FT

DRILL DEPTH: 292FT

60N

7W

7

DEPTH TO BED: 35FTUTM XUTM Y

608,994.16

4,429,640.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NW EDGE OF EWING; NOW THE LOCATION OF A LANDFILLS.W.L. (AFTER CASING): 120



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**018980**

WELL TYPE  
Private Well

DRILL DATE: 1959/10/21 TOWNSHIP 60N RANGE 8W SECTION 11 ELEVATION: 683FT  
DRILL DEPTH: 115FT UTM X 606,642.13 UTM Y 4,429,727.71  
DEPTH TO BED: 95FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Eddie Brummer - 1 MI NW OF EWING  
S.W.L. (AFTER CASING):

**LOG ID:**  
**018984**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP 60N RANGE 8W SECTION 5 ELEVATION: 692FT  
DRILL DEPTH: 170FT UTM X 601,682.06 UTM Y 4,430,835.66  
DEPTH TO BED: 145FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA  
S.W.L. (AFTER CASING):

**LOG ID:**  
**018995**

WELL TYPE  
Private Well

DRILL DATE: 1959/08/01 TOWNSHIP 60N RANGE 8W SECTION 5 ELEVATION: 728FT  
DRILL DEPTH: 215FT UTM X 600,427.05 UTM Y 4,432,111.66  
DEPTH TO BED: 212FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS:  
S.W.L. (AFTER CASING):

**LOG ID:**  
**012809**

WELL TYPE  
Private Well

DRILL DATE: 1953/09/21 TOWNSHIP 60N RANGE 9W SECTION 15 ELEVATION: 730FT  
DRILL DEPTH: 168FT UTM X 595,350.99 UTM Y 4,427,782.53  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: TD IN DRIFT  
S.W.L. (AFTER CASING): 96



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017349**WELL TYPE

Private Well

DRILL DATE: 1958/06/02TOWNSHIPRANGESECTIONELEVATION:

493FT

DRILL DEPTH: 120FT

61N

6W

2

DEPTH TO BED: 5FTUTM XUTM Y

626,185.33

4,441,683.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****001555**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1987/00/00TOWNSHIPRANGESECTIONELEVATION:

486FT

DRILL DEPTH: 800FT

61N

6W

36

DEPTH TO BED: 15FTUTM XUTM Y

627,527.36

4,433,148.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "LAGRANGE MINERAL WELL PROSPECTING CO"; "WYACONDA  
WELL WATER"S.W.L. (AFTER CASING):**LOG ID:****003726**WELL TYPE

Private Well

DRILL DATE: 1936/08/01TOWNSHIPRANGESECTIONELEVATION:

641FT

DRILL DEPTH: 135FT

61N

6W

36

DEPTH TO BED: 70FTUTM XUTM Y

626,315.35

4,434,050.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: VERY POOR SAMPLES; "SOME OF THE SAMPLES ARE  
DUPLICATES"S.W.L. (AFTER CASING): 27**LOG ID:****002940**WELL TYPE

Community Public Well

DRILL DATE: 1934/00/00TOWNSHIPRANGESECTIONELEVATION:

644FT

DRILL DEPTH: 322FT

61N

7W

6

DEPTH TO BED: 25FTUTM XUTM Y

609,702.14

4,442,020.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017350**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/06/04TOWNSHIP RANGE SECTION

61N 7W 6

ELEVATION: 580FTDRILL DEPTH: 325FTDEPTH TO BED: 25FTUTM X UTM Y609,502.14 4,440,696.90  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 6 GPM @ 265'S.W.L. (AFTER CASING): 35**LOG ID:****007140**WELL TYPE

Private Well

DRILL DATE: 1916/00/00TOWNSHIP RANGE SECTION

61N 7W 8

ELEVATION:DRILL DEPTH: 313FTDEPTH TO BED: 305FTUTM X UTM Y611,419.17 4,439,745.90  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES 0-305'; 0.5 MI N & 0.25 MI W OF STEFFENSVILLES.W.L. (AFTER CASING):**LOG ID:****018991**WELL TYPE

Private Well

DRILL DATE: 1959/09/30TOWNSHIP RANGE SECTION

61N 8W 1

ELEVATION: 682FTDRILL DEPTH: 150FTDEPTH TO BED: 60FTUTM X UTM Y607,064.11 4,441,344.88  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF MONTICELLOS.W.L. (AFTER CASING): 90**LOG ID:****003880**WELL TYPE

Private Well

DRILL DATE: 1936/07/01TOWNSHIP RANGE SECTION

61N 8W 14

ELEVATION: 634FTDRILL DEPTH: 305FTDEPTH TO BED: 45FTUTM X UTM Y605,864.11 4,437,683.82  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 15-FT SKIPS THROUGHOUT LOG; "SAMPLES MAY BE OUT OF PLACE"S.W.L. (AFTER CASING): 45



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****004121**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/00/00TOWNSHIP RANGE SECTION

61N

8W

15

ELEVATION: 712FTDRILL DEPTH: 335FTUTM X UTM Y

604,052.08 4,438,095.80

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: NO FORMATIONS OR TOPS; DRILLERS LOG WITH GUESSESS.W.L. (AFTER CASING):

DRILLER'S LOG ONLY

**LOG ID:****013126**WELL TYPE

Private Well

DRILL DATE: 1954/09/20TOWNSHIP RANGE SECTION

61N

8W

15

ELEVATION: 702FTDRILL DEPTH: 195FTUTM X UTM Y

603,652.08 4,437,893.79

ZONE 15

DEPTH TO BED: 75FTS.W.L. (BEFORE CASING): FTREMARKS: DRY & ABANDONED 10/1969; 1 MI E OF LEWISTOWNS.W.L. (AFTER CASING): 40**LOG ID:****019613**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/05/25TOWNSHIP RANGE SECTION

61N

8W

16

ELEVATION: 727FTDRILL DEPTH: 110FTUTM X UTM Y

602,252.06 4,438,091.77

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: TD IN DRIFTS.W.L. (AFTER CASING): 105**LOG ID:****020546**WELL TYPE

Private Well

DRILL DATE: 1961/06/15TOWNSHIP RANGE SECTION

61N

8W

17

ELEVATION: 724FTDRILL DEPTH: 130FTUTM X UTM Y

600,948.04 4,437,779.75

ZONE 15

DEPTH TO BED: 125FTS.W.L. (BEFORE CASING):REMARKS: IN SW LEWISTOWNS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****018986**WELL TYPE

Private Well

DRILL DATE: 1958/04/15TOWNSHIPRANGESECTIONELEVATION:

698FT

DRILL DEPTH: 260FT

61N

8W

30

DEPTH TO BED: 125FTUTM XUTM Y

599,797.03

4,435,143.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI SW OF LEWISTOWN ON KINGBILL RDS.W.L. (AFTER CASING): 240**LOG ID:****012812**WELL TYPE

Private Well

DRILL DATE: 1954/02/10TOWNSHIPRANGESECTIONELEVATION:

729FT

DRILL DEPTH: 200FT

61N

8W

8

DEPTH TO BED: 135FTUTM XUTM Y

600,415.03

4,439,993.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LONG SECTIONS.W.L. (AFTER CASING):**LOG ID:****020540**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH: 210FT

61N

9W

10

DEPTH TO BED: 115FTUTM XUTM Y

594,536.95

4,440,270.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "LOST HOLE", SAMPLES NOT COMPLETELY LOGGED, SEE LOG  
#20542S.W.L. (AFTER CASING):**LOG ID:****020542**WELL TYPE

Private Well

DRILL DATE: 1958/07/01TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH: 295FT

61N

9W

10

DEPTH TO BED: 110FTUTM XUTM Y

594,536.95

4,440,270.70

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: REMAKE OF WELL ON LOG #20540S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010887**WELL TYPE

Community Public Well

DRILL DATE: 1949//TOWNSHIPRANGESECTIONELEVATION:

660FT

DRILL DEPTH: 42FT

61N

9W

16

UTM XUTM YDEPTH TO BED:

592,727.93

4,437,643.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "TEST WELL"S.W.L. (AFTER CASING):**LOG ID:****010888**WELL TYPE

Community Public Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

653FT

DRILL DEPTH: 37FT

61N

9W

16

UTM XUTM YDEPTH TO BED:

593,427.94

4,437,941.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "TEST WELL", SECTION 16 OR 17; NO PRODUCTION OR  
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****010889**WELL TYPE

Community Public Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

662FT

DRILL DEPTH: 34FT

61N

9W

16

UTM XUTM YDEPTH TO BED:

592,727.93

4,437,643.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "TEST WELL", NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****010890**WELL TYPE

Community Public Well

DRILL DATE: 1949/00/00TOWNSHIPRANGESECTIONELEVATION:

667FT

DRILL DEPTH: 34FT

61N

9W

16

UTM XUTM YDEPTH TO BED:

593,127.94

4,437,643.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "TEST WELL"S.W.L. (AFTER CASING):





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****010891**WELL TYPE

Community Public Well

DRILL DATE: 1949/00/00TOWNSHIP RANGE SECTIONELEVATION: 666FTDRILL DEPTH: 36FT

61N 9W 16

DEPTH TO BED:UTM X UTM Y  
593,127.94 4,437,643.64  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "TEST WELL", NO DATAS.W.L. (AFTER CASING):**LOG ID:****014254**WELL TYPE

Private Well

DRILL DATE: 1955/07/30TOWNSHIP RANGE SECTIONELEVATION: 739FTDRILL DEPTH: 179FT

61N 9W 25

DEPTH TO BED: 160FTUTM X UTM Y  
597,759.01 4,434,020.65  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 25 GPM @ 100'S.W.L. (AFTER CASING): 95**LOG ID:****007043**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1941/08/05TOWNSHIP RANGE SECTIONELEVATION: 738FTDRILL DEPTH: 812FT

61N 9W 5

DEPTH TO BED: 145FTUTM X UTM Y  
591,736.91 4,441,242.67  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****001836**WELL TYPE

Oil Well

DRILL DATE: 1915/01/01TOWNSHIP RANGE SECTIONELEVATION: 516FTDRILL DEPTH: 928FT

62N 6W 14

DEPTH TO BED: 20FTUTM X UTM Y  
624,693.31 4,447,801.14  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 FEE; 2 LOGS; GR CK OR MAQ., KIMMSWICK OR DEVONIAN;  
USED GROSHKOPFS.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****017797**WELL TYPE

Oil Well

DRILL DATE: 1958/00/00TOWNSHIPRANGESECTIONELEVATION:

626FT

DRILL DEPTH: 1,000FT

62N

6W

20

UTM XUTM YDEPTH TO BED: 30FT

620,457.26

4,445,794.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****018987**WELL TYPE

Private Well

DRILL DATE: 1958/10/02TOWNSHIPRANGESECTIONELEVATION:

608FT

DRILL DEPTH: 310FT

62N

6W

20

UTM XUTM YDEPTH TO BED: 30FT

619,857.26

4,445,384.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Joseph A. Bodeen - RT 1, CANTONS.W.L. (AFTER CASING): 280**LOG ID:****024642**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

643FT

DRILL DEPTH: 465FT

62N

6W

20

UTM XUTM YDEPTH TO BED: 445FT

620,457.26

4,445,590.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 BODEEN; SAMPLES ONLY 445-465', NO FORMATIONS, TOPS,  
ETC GIVENS.W.L. (AFTER CASING):**LOG ID:****028063**WELL TYPE

Oil Well

DRILL DATE: 1976/12/01TOWNSHIPRANGESECTIONELEVATION:

500FT

DRILL DEPTH: 620FT

62N

6W

26

UTM XUTM YDEPTH TO BED: 300FT

625,382.32

4,444,490.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PLUGGED & ABANDONEDS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**028377**

WELL TYPE  
Oil Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	499FT
		62N	6W	26		
<u>DRILL DEPTH:</u>	790FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				624,882.32	4,445,194.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**011267**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1949/11/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	645FT
		62N	6W	27		
<u>DRILL DEPTH:</u>	275FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				624,072.31	4,444,792.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of Louis Haag - YIELD - 10 GPM @ 225'; AT CANTON				
<u>S.W.L. (AFTER CASING):</u>	123					

**LOG ID:**  
**017158**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/01/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	585FT
		62N	6W	28		
<u>DRILL DEPTH:</u>	184FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				622,862.29	4,443,765.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1 MI W OF CANTON, 0.25 MI S OF HWY 16				
<u>S.W.L. (AFTER CASING):</u>	65					

**LOG ID:**  
**001815**

WELL TYPE  
Oil Well

<u>DRILL DATE:</u>	1914/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
		62N	6W	35		
<u>DRILL DEPTH:</u>	730FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				624,688.32	4,442,765.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of Canton Oil & Gas Co - #1 FERGUSON				
<u>S.W.L. (AFTER CASING):</u>	200					



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020530**WELL TYPE

Private Well

DRILL DATE: 1959/03/23TOWNSHIP RANGE SECTION

62N 7W 17

ELEVATION: 664FTDRILL DEPTH: 155FTUTM X UTM YDEPTH TO BED: 70FT610,230.14 4,447,860.01  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MONTICELLOS.W.L. (AFTER CASING):**LOG ID:****020534**WELL TYPE

Private Well

DRILL DATE: 1961/02/18TOWNSHIP RANGE SECTION

62N 7W 18

ELEVATION: 700FTDRILL DEPTH: 138FTUTM X UTM YDEPTH TO BED: 90FT608,580.12 4,447,008.98  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 2.5 MI N OF MONTICELLO ON HWY AS.W.L. (AFTER CASING):**LOG ID:****012814**WELL TYPE

Private Well

DRILL DATE: 1954/01/25TOWNSHIP RANGE SECTION

62N 7W 19

ELEVATION: 678FTDRILL DEPTH: 155FTUTM X UTM YDEPTH TO BED: 75FT608,863.13 4,445,384.96  
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: MONTICELLOS.W.L. (AFTER CASING): 70**LOG ID:****020536**WELL TYPE

Private Well

DRILL DATE: 1960/10/29TOWNSHIP RANGE SECTION

62N 7W 21

ELEVATION: 661FTDRILL DEPTH: 310FTUTM X UTM YDEPTH TO BED: 100FT613,021.18 4,445,828.01  
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WELL NOT IN USE, INSUFFICIENT WATERS.W.L. (AFTER CASING):

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**017475**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1958/04/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	667FT
<u>DRILL DEPTH:</u>	140FT	62N	7W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				608,633.13	4,445,155.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	130					

**LOG ID:**  
**001816**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1914/11/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	657FT
<u>DRILL DEPTH:</u>	1,052FT	62N	7W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	930FT				609,719.14	4,442,120.92
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> SAMPLES ONLY FROM 930-1052'				
<u>S.W.L. (AFTER CASING):</u>	30					

**LOG ID:**  
**020545**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>	1961/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	691FT
<u>DRILL DEPTH:</u>	205FT	62N	8W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				602,636.05	4,445,977.89
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> "POOR SET OF SAMPLES"				
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:**  
**019621**

WELL TYPE  
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	400FT	62N	8W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				601,128.01	4,451,025.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> NO PRODUCTION OR CONSTRUCTION DATA, POOR LOCATION				
<u>S.W.L. (AFTER CASING):</u>						

# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019615**

WELL TYPE  
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 729FT  
62N 9W 27

DRILL DEPTH: 365FT UTM X UTM Y  
DEPTH TO BED: 130FT 594,778.94 4,444,481.76  
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: formerly in name of McReynolds - NE OF LaBELLE

S.W.L. (AFTER CASING):

**LOG ID:**  
**020399**

WELL TYPE  
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 730FT  
62N 9W 29

DRILL DEPTH: 2,080FT UTM X UTM Y  
DEPTH TO BED: 200FT 592,367.91 4,443,667.71  
ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #1 EVERETT HAYDEN - OIL TEST

S.W.L. (AFTER CASING):

**LOG ID:**  
**018993**

WELL TYPE  
Private Well

DRILL DATE: 1959/08/15 TOWNSHIP RANGE SECTION ELEVATION: 651FT  
63N 6W 28

DRILL DEPTH: 280FT UTM X UTM Y  
DEPTH TO BED: 100FT 621,719.26 4,454,154.21  
ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 7 MI N OF CANTON ON HWY 61, 3 MI W

S.W.L. (AFTER CASING): 100

**LOG ID:**  
**022289**

WELL TYPE  
Oil Well

DRILL DATE: 1963/03/14 TOWNSHIP RANGE SECTION ELEVATION: 640FT  
63N 6W 30

DRILL DEPTH: 145FT UTM X UTM Y  
DEPTH TO BED: 60FT 618,911.23 4,454,163.19  
ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**019624**

WELL TYPE  
Private Well

DRILL DATE: 1958/09/03 TOWNSHIP 63N RANGE 7W SECTION 21 ELEVATION: 609FT  
DRILL DEPTH: 95FT UTM X 612,991.16 UTM Y 4,456,371.16  
DEPTH TO BED: 85FT ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS:  
S.W.L. (AFTER CASING): 90

**LOG ID:**  
**026567**

WELL TYPE  
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1970// TOWNSHIP 63N RANGE 7W SECTION 30 ELEVATION: 687FT  
DRILL DEPTH: 925FT UTM X 609,683.12 UTM Y 4,454,100.10  
DEPTH TO BED: 840FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES 0-840'  
S.W.L. (AFTER CASING):

**LOG ID:**  
**020535**

WELL TYPE  
Private Well

DRILL DATE: 1961/05/20 TOWNSHIP 63N RANGE 8W SECTION 21 ELEVATION: 718FT  
DRILL DEPTH: 230FT UTM X 603,130.03 UTM Y 4,456,477.05  
DEPTH TO BED: 155FT ZONE 15  
S.W.L. (BEFORE CASING): REMARKS: 1 MI E OF WILLIAMSTOWN, 1 MI N ON COUNTY RD  
S.W.L. (AFTER CASING):

**LOG ID:**  
**027800**

WELL TYPE  
Private Well

DRILL DATE: 1971/03/20 TOWNSHIP 63N RANGE 8W SECTION 21 ELEVATION: 716FT  
DRILL DEPTH: 180FT UTM X 602,130.02 UTM Y 4,455,229.02  
DEPTH TO BED: ZONE 15  
S.W.L. (BEFORE CASING): FT REMARKS: NO STRAT DATA LOGGED, JUST TD; RESIDUES 150-180'  
S.W.L. (AFTER CASING): 100



# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:****020523**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1961/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	702FT
<u>DRILL DEPTH:</u>	215FT	63N	8W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	190FT				605,681.07	4,455,394.07
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2.25 E & 0.25 MI N OF WILLIAMSTOWN			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****019628**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/01/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	724FT
<u>DRILL DEPTH:</u>	410FT	63N	8W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	205FT				602,522.03	4,454,838.02
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	YIELD - 6 GPM @ 350'			
<u>S.W.L. (AFTER CASING):</u>						

**LOG ID:****018795**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/12/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	699FT
<u>DRILL DEPTH:</u>	170FT	63N	8W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				603,781.05	4,453,450.02
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI SE OF WILLIAMSTOWN			
<u>S.W.L. (AFTER CASING):</u>	90					

**LOG ID:****020544**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/02/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	695FT
<u>DRILL DEPTH:</u>	420FT	63N	8W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	180FT				605,181.07	4,453,016.03
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 MI E OF WILLIAMSTOWN, 1.25 MI S ON COUNTY RD			
<u>S.W.L. (AFTER CASING):</u>						





# Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

**LOG ID:**  
**020533**

WELL TYPE  
Private Well

DRILL DATE: 1961/01/15

TOWNSHIP RANGE SECTION

ELEVATION: 710FT

DRILL DEPTH: 217FT

63N

8W

35

UTM X

UTM Y

DEPTH TO BED: 193FT

605,656.07 4,452,749.04  
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI E OF WILLIAMSTOWN, 1.5 MI S

S.W.L. (AFTER CASING): 56

**LEWIS**